



Scope of Supply/Bill of Material & Mounting Drawings





Part Number: Y-T700-20-01-SL / Y-T700-20-02

Part Description: FRAME PROTECTORS – YAMAHA Tenere700


NO.	Description	Quantity	Torque * (N-M)	Remarks **	Chacklist
1	FRAME GUARD	1			
2	CABLETIE	2			
3	RUBBER TAPE	9			
SRC Design uses Metric System of Measurement and all dimensions in Millimeters					
* Recommended to use the Torque specified in the table					
** Denotes Usage of Liquid Thread Locker in specified Locations					



MOUNTING DRAWINGS





Mounting Instructions



SRC Frame Protector uses the mounting hole located (as shown in the drawing). The Protector shields the frames (Left side)

Step 1:

Before starting to mount, we have Remove the Original Screw in Motobike (as shown in the drawing).




Step 2:

Orient the Bottom end of the Frame Protector, in-line with the Mounting Hole and secure it using the Mounting Bolt (already available in the Motorbike)

Step 3:

Ensure visually the Protector shields the Frame, as shown and tie-up the cable to the frame at the top and tighten the bolt.





General Information

1. We request you to pay attention to the Mounting Instructions in this document and follow the step-by-step procedures.
2. This Mounting Instruction manual is a “Do It Yourself” (DIY) fitment manual of the Accessory part to the Vehicle. We have prepared this based on our experience and knowledge, related to the Vehicle, Part and its functional aspects.
3. SRC cannot guarantee the interchangeability of the parts to any other manufacturer’s accessory part. It is advised to the User, to inspect and ensure the original state of all other Vehicle parts.
4. We request you to bear in mind, that the Installed part can change the driving behaviour and/or the stability during driving or any other dynamic conditions.
5. If you have the appropriate tools and another person to assist you in the mounting, it will help.
6. To the maximum extent possible, our design use the current Mounting/Fitment of the Original Equipment, so that Installation of these accessories will not affect the Payload or Function of the Vehicle or the Part on which it is mounted to protect it
7. If any additional modifications are to be done, prior to the fitment of the accessories, it will be explicitly specified in the instruction sheets.